

FAMILIENDATENBLATT ECO AREA

Auf das Wesentliche reduzierte Straßen- und Wegeleuchten



Anwendungsgebiete

- Straßenbeleuchtung
- Straßen
- Parkplätze
- Flächenbeleuchtung

Produktvorteile

- Funktionales und minimalistisches Design
- Geringe Wartungs- und Betriebskosten dank langer LED-Lebensdauer
- 5 Jahre Garantie

Produkteigenschaften

- Asymmetrische Lichtverteilung für ein breites Anwendungsspektrum
- Gehäuse aus robustem Alu-Druckguss
- Mastansatzinstallation bei 48...60 mm Zopfmaß
- Überspannungsschutz: bis zu 10 kV (L/N-PE)
- Integriertes Vorschaltgerät mit großem Eingangsspannungsbereich, geeignet für 100 - 277 V_{AC}
- Vorinstalliertes, flexibles Kabel (H05RN-F) mit 0,5 m Länge, 3 x 1.0 mm² gekrimpt



TECHNISCHE DATEN

Maße & Gewicht

Produkt-Bezeichnung	Durchmesser	Länge	Produktgewicht
POLE REDUCTION AREA 42/60 POLE	55,0 mm	83 mm	153,00 g
ADJUSTABLE ANGLE ADAPTER AREA48/60ADJUST	- mm	334.0 mm	1130,00 g
ECO AREA S SPD 30W 827 3300LM GR	- mm	329.00 mm	1051,00 g
ECO AREA S SPD 30W 830 3450LM GR	- mm	329.00 mm	1051,00 g
ECO AREA S SPD 30W 840 3600LM GR	- mm	329.00 mm	1051,00 g
ECO AREA S SPD 30W 865 3600LM GR	- mm	329.00 mm	1051,00 g
ECO AREA M SPD 45W 827 4950LM GR	- mm	360.00 mm	1342,00 g
ECO AREA M SPD 45W 830 5175LM GR	- mm	360.00 mm	1342,00 g
ECO AREA M SPD 45W 840 5400LM GR	- mm	360.00 mm	1342,00 g
ECO AREA M SPD 45W 865 5400LM GR	- mm	360.00 mm	1342,00 g
ECO AREA L SPD 60W 827 6600LM GR	- mm	409.00 mm	1554,00 g
ECO AREA L SPD 60W 830 7130LM GR	- mm	409.00 mm	1554,00 g
ECO AREA L SPD 60W 840 7200LM GR	- mm	409.00 mm	1554,00 g
ECO AREA L SPD 60W 865 7200LM GR	- mm	409.00 mm	1554,00 g
ECO AREA SPD ECOAREASPD 90W	- mm	552.00 mm	3400,00 g
ECO AREA SPD ECOAREASPD 90W	- mm	552.00 mm	3400,00 g
ECO AREA SPD ECOAREASPD 90W	- mm	552.00 mm	3400,00 g
ECO AREA SPD ECOAREASPD 90W	- mm	552.00 mm	3400,00 g
ECO AREA SPD ECOAREASPD 120W	- mm	552.00 mm	3500,00 g

Produkt-Bezeichnung	Durchmesser	Länge	Produktgewicht
ECO AREA SPD ECOAREASPD 120W	- mm	552.00 mm	3500,00 g
ECO AREA SPD ECOAREASPD 120W	- mm	552.00 mm	3500,00 g
ECO AREA SPD ECOAREASPD 120W	- mm	552.00 mm	3500,00 g
ECO AREA SPD ECOAREASPD 150W	- mm	653.00 mm	4400,00 g
ECO AREA SPD ECOAREASPD 150W	- mm	653.00 mm	4400,00 g
ECO AREA SPD ECOAREASPD 150W	- mm	653.00 mm	4400,00 g
ECO AREA SPD ECOAREASPD 150W	- mm	653.00 mm	4400,00 g

Materialien & Farben

Produkt-Bezeichnung	Produktfarbe
POLE REDUCTION AREA 42/60 POLE	Grau
ADJUSTABLE ANGLE ADAPTER AREA48/60ADJUST	Grau
ECO AREA S SPD 30W 827 3300LM GR	Grau
ECO AREA S SPD 30W 830 3450LM GR	Grau
ECO AREA S SPD 30W 840 3600LM GR	Grau
ECO AREA S SPD 30W 865 3600LM GR	Grau
ECO AREA M SPD 45W 827 4950LM GR	Grau
ECO AREA M SPD 45W 830 5175LM GR	Grau
ECO AREA M SPD 45W 840 5400LM GR	Grau
ECO AREA M SPD 45W 865 5400LM GR	Grau
ECO AREA L SPD 60W 827 6600LM GR	Grau
ECO AREA L SPD 60W 830 7130LM GR	Grau

Produkt-Bezeichnung	Produktfarbe
ECO AREA L SPD 60W 840 7200LM GR	Grau
ECO AREA L SPD 60W 865 7200LM GR	Grau
ECO AREA SPD ECOAREASPD 90W	Grau
ECO AREA SPD ECOAREASPD 90W	Grau
ECO AREA SPD ECOAREASPD 90W	Grau
ECO AREA SPD ECOAREASPD 90W	Grau
ECO AREA SPD ECOAREASPD 120W	Grau
ECO AREA SPD ECOAREASPD 120W	Grau
ECO AREA SPD ECOAREASPD 120W	Grau
ECO AREA SPD ECOAREASPD 120W	Grau
ECO AREA SPD ECOAREASPD 120W	Grau
ECO AREA SPD ECOAREASPD 150W	Grau
ECO AREA SPD ECOAREASPD 150W	Grau
ECO AREA SPD ECOAREASPD 150W	Grau
ECO AREA SPD ECOAREASPD 150W	Grau

Anwendung & Installation

Produkt-Bezeichnung	Montageort
POLE REDUCTION AREA 42/60 POLE	Mast
ADJUSTABLE ANGLE ADAPTER AREA48/60ADJUST	Mast
ECO AREA S SPD 30W 827 3300LM GR	Mast
ECO AREA S SPD 30W 830 3450LM GR	Mast
ECO AREA S SPD 30W 840 3600LM GR	Mast

Produkt-Bezeichnung	Montageort
ECO AREA S SPD 30W 865 3600LM GR	Mast
ECO AREA M SPD 45W 827 4950LM GR	Mast
ECO AREA M SPD 45W 830 5175LM GR	Mast
ECO AREA M SPD 45W 840 5400LM GR	Mast
ECO AREA M SPD 45W 865 5400LM GR	Mast
ECO AREA L SPD 60W 827 6600LM GR	Mast
ECO AREA L SPD 60W 830 7130LM GR	Mast
ECO AREA L SPD 60W 840 7200LM GR	Mast
ECO AREA L SPD 60W 865 7200LM GR	Mast
ECO AREA SPD ECOAREASPD 90W	Mast
ECO AREA SPD ECOAREASPD 90W	Mast
ECO AREA SPD ECOAREASPD 90W	Mast
ECO AREA SPD ECOAREASPD 90W	Mast
ECO AREA SPD ECOAREASPD 120W	Mast
ECO AREA SPD ECOAREASPD 120W	Mast
ECO AREA SPD ECOAREASPD 120W	Mast
ECO AREA SPD ECOAREASPD 120W	Mast
ECO AREA SPD ECOAREASPD 150W	Mast
ECO AREA SPD ECOAREASPD 150W	Mast
ECO AREA SPD ECOAREASPD 150W	Mast
ECO AREA SPD ECOAREASPD 150W	Mast

Anwendungshinweis

Für weitere Anwendungsinformationen beachten Sie bitte das Produktdatenblatt

VERKAUFS- UND TECHNISCHER SUPPORT

Verkaufs- und Technischer Support www.ledvance.de

LÄNDERSPEZIFISCHE INFORMATIONEN

Produkt-Bezeichnung	EAN	METEL-Code	SEG-Nr.	STK-Nummer	UK Org
POLE REDUCTION AREA 42/60 POLE	4058075557253	-	-	4529709	-
ADJUSTABLE ANGLE ADAPTER AREA48/60ADJUST	4058075557277	-	-	4529710	-
ECO AREA S SPD 30W 827 3300LM GR	4058075425057	-	-	-	-
ECO AREA S SPD 30W 830 3450LM GR	4058075425071	-	-	4508196	-
ECO AREA S SPD 30W 840 3600LM GR	4058075425095	-	-	4508197	-
ECO AREA S SPD 30W 865 3600LM GR	4058075425118	-	-	-	-
ECO AREA M SPD 45W 827 4950LM GR	4058075425132	-	-	-	-
ECO AREA M SPD 45W 830 5175LM GR	4058075425156	-	-	4508198	-
ECO AREA M SPD 45W 840 5400LM GR	4058075425170	-	-	4508199	-
ECO AREA M SPD 45W 865 5400LM GR	4058075425194	-	-	-	-
ECO AREA L SPD 60W 827 6600LM GR	4058075425217	-	-	-	-
ECO AREA L SPD 60W 830 7130LM GR	4058075425231	-	-	4529700	-
ECO AREA L SPD 60W 840 7200LM GR	4058075425255	-	-	4529701	-
ECO AREA L SPD 60W 865 7200LM GR	4058075425279	-	-	-	-
ECO AREA SPD ECOAREASPD 90W	4058075557710	-	-	-	-
ECO AREA SPD ECOAREASPD 90W	4058075557734	-	-	4529703	-
ECO AREA SPD ECOAREASPD 90W	4058075557758	-	-	4529704	-
ECO AREA SPD ECOAREASPD 90W	4058075557796	-	-	-	-
ECO AREA SPD ECOAREASPD 120W	4058075557819	-	-	-	-
ECO AREA SPD ECOAREASPD 120W	4058075557857	-	-	4529705	-
ECO AREA SPD ECOAREASPD 120W	4058075557871	-	-	4529706	-
ECO AREA SPD ECOAREASPD 120W	4058075557895	-	-	-	-
ECO AREA SPD ECOAREASPD 150W	4058075557918	-	-	-	-
ECO AREA SPD ECOAREASPD 150W	4058075557932	-	-	4529707	-
ECO AREA SPD ECOAREASPD 150W	4058075557956	-	-	4529708	-
ECO AREA SPD ECOAREASPD 150W	4058075557970	-	-	-	-

DOWNLOADS

DOWNLOADS	
	User instruction ECO CLASS AREALIGHTING
	Ausschreibungstexte Tender Text 4058075425057
	Declarations of conformity CE Declaration of Conformity_ECO CLASS AREA
	IES file (IES) ECO AREA S SPD 30W 827 3300LM GR
	LDT file (Eulumdat) ECO AREA S SPD 30W 827 3300LM GR
	User instruction ECO CLASS AREALIGHTING
	Ausschreibungstexte Tender Text 4058075425071
	Declarations of conformity CE Declaration of Conformity_ECO CLASS AREA
	IES file (IES) ECO AREA S SPD 30W 830 3450LM GR
	LDT file (Eulumdat) ECO AREA S SPD 30W 830 3450LM GR
	User instruction ECO CLASS AREALIGHTING
	Ausschreibungstexte Tender Text 4058075425095
	Declarations of conformity CE Declaration of Conformity_ECO CLASS AREA
	IES file (IES) ECO AREA S SPD 30W 840 3600LM GR
	LDT file (Eulumdat) ECO AREA S SPD 30W 840 3600LM GR
	User instruction ECO CLASS AREALIGHTING
	Ausschreibungstexte Tender Text 4058075425118
	Declarations of conformity CE Declaration of Conformity_ECO CLASS AREA

DOWNLOADS



IES file (IES)
ECO AREA S SPD 30W 865 3600LM GR



LDT file (Eulumdat)
ECO AREA S SPD 30W 865 3600LM GR



User instruction
ECO CLASS AREALIGHTING



Ausschreibungstexte
Tender Text 4058075425132



Declarations of conformity
CE Declaration of Conformity_ECO CLASS AREA



IES file (IES)
ECO AREA M SPD 45W 827 4950LM GR



LDT file (Eulumdat)
ECO AREA M SPD 45W 827 4950LM GR



User instruction
ECO CLASS AREALIGHTING



Ausschreibungstexte
Tender Text 4058075425156



Declarations of conformity
CE Declaration of Conformity_ECO CLASS AREA



IES file (IES)
ECO AREA M SPD 45W 830 5175LM GR



LDT file (Eulumdat)
ECO AREA M SPD 45W 830 5175LM GR



User instruction
ECO CLASS AREALIGHTING



Ausschreibungstexte
Tender Text 4058075425170



Declarations of conformity
CE Declaration of Conformity_ECO CLASS AREA



IES file (IES)
ECO AREA M SPD 45W 840 5400LM GR



LDT file (Eulumdat)
ECO AREA M SPD 45W 840 5400LM GR



User instruction
ECO CLASS AREALIGHTING

DOWNLOADS



Ausschreibungstexte
Tender Text 4058075425194



Declarations of conformity
CE Declaration of Conformity_ECO CLASS AREA



IES file (IES)
ECO AREA M SPD 45W 865 5400LM GR



LDT file (Eulumdat)
ECO AREA M SPD 45W 865 5400LM GR



User instruction
ECO CLASS AREALIGHTING



Ausschreibungstexte
Tender Text 4058075425217



Declarations of conformity
CE Declaration of Conformity_ECO CLASS AREA



IES file (IES)
ECO AREA L SPD 60W 827 6600LM GR



LDT file (Eulumdat)
ECO AREA L SPD 60W 827 6600LM GR



User instruction
ECO CLASS AREALIGHTING



Ausschreibungstexte
Tender Text 4058075425231



Declarations of conformity
CE Declaration of Conformity_ECO CLASS AREA



IES file (IES)
ECO AREA L SPD 60W 830 7130LM GR



LDT file (Eulumdat)
ECO AREA L SPD 60W 830 7130LM GR



User instruction
ECO CLASS AREALIGHTING



Ausschreibungstexte
Tender Text 4058075425255



Declarations of conformity
CE Declaration of Conformity_ECO CLASS AREA



IES file (IES)
ECO AREA L SPD 60W 840 7200LM GR

DOWNLOADS



LDT file (Eulumdat)
ECO AREA L SPD 60W 840 7200LM GR



User instruction
ECO CLASS AREALIGHTING



Ausschreibungstexte
Tender Text 4058075425279



Declarations of conformity
CE Declaration of Conformity_ECO CLASS AREA



IES file (IES)
ECO AREA L SPD 60W 865 7200LM GR



LDT file (Eulumdat)
ECO AREA L SPD 60W 865 7200LM GR

VERPACKUNGSMFORMATIONEN

EAN	Verpackungseinheit (Stück pro Einheit)	Abmessungen (Länge x Breite x Höhe)	Bruttogewicht	Volumen
4058075557253	Faltschachtel 1	69 mm x 69 mm x 97 mm	573.00 g	0.46 dm ³
4058075557277	Faltschachtel 1	127 mm x 107 mm x 377 mm	1142.00 g	5.12 dm ³
4058075425057	Faltschachtel 1	368 mm x 117 mm x 170 mm	1212.00 g	7.32 dm ³
4058075425071	Faltschachtel 1	368 mm x 117 mm x 170 mm	1212.00 g	7.32 dm ³
4058075425095	Faltschachtel 1	368 mm x 117 mm x 170 mm	1212.00 g	7.32 dm ³
4058075425118	Faltschachtel 1	368 mm x 117 mm x 170 mm	1212.00 g	7.32 dm ³
4058075425132	Faltschachtel 1	398 mm x 114 mm x 180 mm	1366.00 g	8.17 dm ³
4058075425156	Faltschachtel 1	398 mm x 114 mm x 180 mm	1366.00 g	8.17 dm ³
4058075425170	Faltschachtel 1	398 mm x 114 mm x 180 mm	1366.00 g	8.17 dm ³
4058075425194	Faltschachtel 1	398 mm x 114 mm x 180 mm	1366.00 g	8.17 dm ³
4058075425217	Faltschachtel 1	448 mm x 121 mm x 200 mm	1754.00 g	10.84 dm ³
4058075425231	Faltschachtel 1	448 mm x 121 mm x 200 mm	1754.00 g	10.84 dm ³

EAN	Verpackungseinheit (Stück pro Einheit)	Abmessungen (Länge x Breite x Höhe)	Bruttogewicht	Volumen
4058075425255	Faltschachtel 1	448 mm x 121 mm x 200 mm	1754.00 g	10.84 dm ³
4058075425279	Faltschachtel 1	448 mm x 121 mm x 200 mm	1754.00 g	10.84 dm ³
4058075557710	Faltschachtel 1	582 mm x 128 mm x 253 mm	3773.00 g	18.85 dm ³
4058075557734	Faltschachtel 1	582 mm x 128 mm x 253 mm	3773.00 g	18.85 dm ³
4058075557758	Faltschachtel 1	582 mm x 128 mm x 253 mm	3773.00 g	18.85 dm ³
4058075557796	Faltschachtel 1	582 mm x 128 mm x 253 mm	3773.00 g	18.85 dm ³
4058075557819	Faltschachtel 1	582 mm x 128 mm x 253 mm	3873.00 g	18.85 dm ³
4058075557857	Faltschachtel 1	582 mm x 128 mm x 253 mm	3873.00 g	18.85 dm ³
4058075557871	Faltschachtel 1	582 mm x 128 mm x 253 mm	3873.00 g	18.85 dm ³
4058075557895	Faltschachtel 1	684 mm x 128 mm x 311 mm	3990.00 g	27.23 dm ³
4058075557918	Faltschachtel 1	684 mm x 128 mm x 311 mm	4890.00 g	27.23 dm ³
4058075557932	Faltschachtel 1	684 mm x 128 mm x 311 mm	4890.00 g	27.23 dm ³
4058075557956	Faltschachtel 1	684 mm x 128 mm x 311 mm	4890.00 g	27.23 dm ³
4058075557970	Faltschachtel 1	684 mm x 128 mm x 311 mm	4890.00 g	27.23 dm ³

Die genannten Produktnummern beschreiben die kleinste bestellbare Mengeneinheit. Eine Versandeinheit kann mehrere Einzelprodukte beinhalten. Als Bestellmenge verwenden Sie bitte das Ein- oder Mehrfache einer Versandeinheit.

Referenzen / Verweise

– Zur Garantie siehe www.ledvance.de/garantie

Haftungsausschluss

Änderungen und Irrtümer vorbehalten. Vergewissern Sie sich, dass Sie immer den neuesten Stand verwenden.