PRODUCT DESCRIPTION

- Mounting to 12 mm / 0.47"' drywall boards
- No collision with the ceiling structure
- Stable moutning to a suspended ceiling
- Non visible aluminum elements



FINISH :

Non anodized (raw)

*Custom colors available upon request

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- main, decorative and functional lighting.

Mounting

- in drywall, with screws,
- can be easily connected into runs,
- the cover is cut to the length of the profile.

Additional information

- smooth transition from a recessed into a suspended lighting fixture possible.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C2479NA_1	Non anodized (raw)	1000 mm
C2479NA_2	Non anodized (raw)	2000 mm
C2479NA_3	Non anodized (raw)	3000 mm

TECHNICAL DRAWING



RELATED PROFILES



GIZA-LL profile
Ref: C0758

RELATED PRODUCTS

COVERS

BLACK COVERS



LIGER-22 black Cover
Ref: 17087

CLEAR COVERS



G-L clear Cover
Ref: 17006

FROSTED COVERS



LIGER-22 frosted Cover
Ref: 17032V1



HS-22 frosted Cover
Ref: 17011



G-K frosted Cover
Ref: 17007



G-L frosted Cover
Ref: 00413

SEMI-TRANSPARENT COVERS



MUN-22 semi-transparent Cover
Ref: 17042



G-K semi-transparent Cover
Ref: 00415



G-L semi-transparent Cover
Ref: 17008

END CAPS

REGULAR END CAPS



GIZA-LL grey End cap
Ref: 24281



GIZA-LL black End cap
Ref: 24383



GIZA-LL white End cap
Ref: 24398

ACCESSORIES

COMPONENTS FOR CONNECTING PROFILES



ZM-NA-90 Connector
Ref: 42723



ZM-NA-135 Connector
Ref: 42725



ZM-NA-PION-135 Connector
Ref: 42727



ZM-NA-PION-90 Connector
Ref: 42726



ZM-NA-45 Connector
Ref: 42339



ZM-NA-PION-120 Connector
Ref: 42321



ZM-NA-PION-60 Connector
Ref: 42317



ZM-NA-PION-45 Connector
Ref: 42315



ZM-NA-60 Connector
Ref: 42305



ZM-NA-180 Connector
Ref: 42724

ADDITIONAL ITEMS



TECH-22 protective insert
Ref: 17124



MP-22 white Masking cover
Ref: 17167L9010



MP-22 Masking cover black
Ref: 17167L9005



MP-22 metallized Masking cover
Ref: 17167

LED TAPES

WHITE



LED strip
K-1210-24V
Ref: K-1210-24V



LED strip K-1220-12V
Ref: K-1220-12V



LED strip
K-1220-24V
Ref: K-1220-24V



LED strip K-1275-12V
Ref: K-1275-12V



LED strip
K-1275-24V
Ref: K-1275-24V



LED strip K-1820-
HD-24V
Ref: K-1820-HD-24V



LED strip K-1910-
HD-24V
Ref: K-1910-HD-24V



LED strip WP-K-1640-
HD-IP65-24V
Ref: WP-K-1640-HD-
IP65-24V



LED strip WP-
K-1210-12V
Ref: WP-
K-1210-12V



LED strip WP-
K-1210-24V
Ref: WP-K-1210-24V



Taśma LED WP-
K-1220-12V
Ref: WP-K-1220-12V



LED strip LED WP-
K-1220-24V
Ref: WP-K-1220-24V



LED strip WP-
K-1275-24V
Ref: WP-
K-1275-24V



Taśma LED WP-K-1910-
HD-IP65-24V
Ref: WP-K-1910-HD-
IP65-24V



LED strip WP-
K-1220-IP65-12V
Ref: WP-K-1220-
IP65-12V



LED strip WP-K-1220-
IP65-24V
Ref: WP-K-1220-
IP65-24V

HIGH EFFICACY



LED strip K-
HE-0480-HD-24V
Ref: K-HE-0480-
HD-24V



LED strip K-
HE-0960-HD-24V
Ref: K-HE-0960-
HD-24V



LED strip K-
HE-1440-HD-24V
Ref: K-HE-1440-
HD-24V



LED strip K-
HE-1920-HD-24V
Ref: K-HE-1920-
HD-24V

CRI 95+



LED strip WP-K-CR-1210-24V
Ref: WP-K-CR-1210-24V

LONG RUN



LED strip K-LR-1000-24V
Ref: K-LR-1000-24V

RGB / RGB-W



LED strip K-1275-RGB-12V
Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V
Ref: K-1275-RGB-24V



LED strip K-1920-RGB+W-24V
19.2W/m
Ref: K-1920-RGB+W-24V



LED strip WP-K-1275-RGB-12V
Ref: WP-K-1275-RGB-12V



LED strip K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V



LED strip WP-K-1530-RGB+W-24V
Ref: WP-K-1530-RGB+W-24V



LED strip K-1920-120-RGB-24V
19.2W/m
Ref: K-1920-120-RGB-24V



LED strip WP-K-1920-120-RGB-24V
Ref: WP-K-1920-120-RGB-24V

TUNABLE WHITE / DIM TO WARM



LED strip K-22/50-1728-24V
Ref: K-22/50-1728-24V



LED strip K-30/18-1770-24V
Ref: K-30/18-1770-24V



LED strip WP-K-22/50-1728-24V
Ref: WP-K-22/50-1728-24V



LED strip WP-K-30/18-1770-24V
Ref: WP-K-3018-1770-24V

MARKETING MATERIALS



Display
P230-90218M
Ref: 90218M